



6 Unit

FITNESS EQUIPMENT TESTERS

LOOK FORWARD TO THE FUTURE

Chun Yen have the right to modify the specification and design of machine without prior notice.





橢圓機全檢試驗機

MICRO COMPUTER ELLIPTIC EXERCISER DYNAMIC FATIGUE TESTER

CY-6800A



SPECIFICATIONS

Test Standard	conforms to EN-957-9 Standard
Load Weight	100kg.
Test Stroke	100~300mm/m.
Test Frequency	30~65 cycles/min.
Test Counting	0~6 digit
Transmission	by Inverter Motor

Auto stop running device in breaking

運動車扭力壽命試驗機 + PC連線

MICRO COMPUTER EXERCISER TORSION DURABILITY TESTER

CY-6795A



SPECIFICATIONS

RPM:20~120 rpm

Dim. of working table : 900 *1800mm.

Torque: when the speed is up to 60 rpm, torque will be more than 40n-m.

Error: For H class: below 50W, error is less than 5W above 50W, error is less than 10%.

The working table is adjustable up-down in 300mm, and max. height of the adjustment is 150mm from the torsion head.
Set up the working table as lower as better.

The working table is adjustable to up-down · left-right · forward and backward by manual or automatic.

EXERCISER TORSION DURABILITY





CY-6793

微電腦跑步機動態疲勞衝擊試驗機

MICRO COMPUTER TREADMILL DYNAMIC IMPACT TESTER



CY-6718

划船器線上全檢試驗機

MICRO COMPUTER INDOOR ROWING FULL INSPECTION TESTER



CY-6718



CY-6800B

微電腦室內運動車橢圓機生產線全檢機

MICRO COMPUTER INDOOR ELLIPTIC
TRAINER FULL INSPECTION TESTER (LIFT TYPE)

升降式
Lifting Type





CY-6792

微電腦運動器材動態疲勞壽命
試驗機

MICRO COMPUTER EXERCISER
DYNAMIC FATIGUE TESTER





CY-6791

室內運動車扭力全檢試驗機 EXERCISER TORSION FULL INSPECTION TESTER



SPECIFICATIONS

Function	Torsion force, RPM, Watt, Forward-backward rotation
The height of the frame	adjustable. Fast fixed position by air pressure cylinder
Motor RPM is adjustable	20—90rpm
Test Speed	60 units / hour



駿諺精機股份有限公司

CHUN YEN TESTING MACHINES CO., LTD.

台灣省台中市龍井區忠和里工業路216巷25號

TEL: 886-4-26391141 FAX: 886-4-26392354

CY-6795 運動車扭力連續測試 試驗報告

1. 公司名稱：CHUN YEN CO., LTD

2. 操作者：YUCHUN

3. 試件批號：T920304

4. 試驗日期：2005/6/21

5. 試驗開始時間：PM 04:49

6. 試驗完成時間：PM 05:04:54

7. 試件種類：kind 1

8. 試件名稱：k1 - item1

9. 檔案名稱：C:\C0409A-2\data\T920304.tst

10. 檢測方式：使用者定義

11. 功率設定：0.0 [W]


12. 轉速設定：0 [rpm]

13. 測試時間：0.0 [min]

14. 組別：0

15. 循環次數：1

	扭力(N-m)	轉速(rpm)	功率(Watts)
最大	18.9	50.0	98.7
最小	9.3	49.0	48.7
平均	16.0	50.0	83.6



測試：_____

審核：_____



駿諺精機股份有限公司

CHUN YEN TESTING MACHINES CO., LTD.

台灣省台中市龍井區忠和里工業路216巷25號

TEL: 886-4-26391141 FAX: 886-4-26392354

CY-6795 運動車扭力間歇測試 試驗報告

1. 公司名稱：CHUN YEN CO., LTD

2. 操作者：YUCHUN

3. 試件批號：T920304

4. 試驗日期：2005/6/18

5. 試驗開始時間：PM 01:37:46

6. 試驗完成時間：PM 04:12:34

7. 試件種類：kind 1

8. 試件名稱：k1 - item1

9. 檔案名稱：C:\C0409A-3\T920304.tst

10. 檢測方式：間歇測試

11. 功率設定：200.0 [W]


12. 轉速設定：60 [rpm]

13. 測試時間：0.1 [hr]

溫度

	開始	結束
1	33.0	33.0

	扭力(N-m)	轉速(rpm)	功率(Watts)
最大	20.6	60.0	93.9
最小	0.4	0.0	0.0
平均	12.4	58.0	75.1



測試：_____

審核：_____



駿諺精機股份有限公司

CHUN YEN TESTING MACHINES CO., LTD.

台灣省台中市龍井區忠和里工業路216巷25號

TEL: 886-4-26391141 FAX: 886-4-26392354

CY-6795 運動車扭力溫度測試 試驗報告

1. 公司名稱：CHUN YEN CO., LTD

2. 操作者：YUCHUN

3. 試件批號：T920304

4. 試驗日期：2005/5/27

5. 試驗開始時間：PM 08:40:29

6. 試驗完成時間：PM 04:12:34

7. 試件種類：kind 1

8. 試件名稱：k1 - item1

9. 檔案名稱：C:\C0409A-1\jun-02.tst

10. 檢測方式：溫度測試

11. 功率設定：200.0 [W]


12. 轉速設定：60 [rpm]

13. 測試時間：20.0 [min]

溫度

Cycle	開始	結束
1	28.0	0.0
2	0.0	0.0
3	0.0	0.0

	扭力(N-m)	轉速(rpm)	功率(Watts)
最大	8.8	60.0	55.0
最小	0.0	0.0	0.0
平均	NaN	NaN	NaN



測試：_____

審核：_____