



麥當勞賣的不是漢堡 是新鮮
宏碁賣的不是電腦 是創新
駿謗 賣的不是儀器 是科技
駿謗 人賣的不是勞力 是智慧
客戶買的是什麼 駿謗人的智慧
接受群眾一次又一次的掌聲



7 Unit

HAND TOOL TESTERS

LOOK FORWARD TO THE FUTURE
Chun Yen have the right to modify the specification
and design of machine without prior notice.





CY-6520

微電腦螺絲貫穿扭力試驗機
MICRO COMPUTER SCREW DRILL
AND TORSION TESTER



CY-6725A

微電腦鐵鎚反覆打擊壽命試驗機

MICRO COMPUTER HAMMER
STRIKING DURABILITY TESTER

CY-6725A



CY-6691

微電腦剪刀.花剪壽命疲勞試驗機

MICRO COMPUTER GARDENING SCISSORS SHEARING DURABILITY TESTER



CY-6668

鐵皮鉗. 老虎鉗剪力壽命試驗機

MICRO COMPUTER PLIERS SHEARING DURABILITY TESTER





CY-6778

氣動槍全檢試驗機

MICRO COMPUTER IMPACT WRENCH TORSION ROTATION TESTER



CY-6748

微電腦扭力扳手線上全檢試驗機

MICRO COMPUTER WRENCH TORSION FULL INSPECTION TESTER

SPECIFICATIONS

Capacity	50kg-m
Control Servo Motor	5HP, Japan, Mitsubishi
Speed	10~60rpm/min.
Torque	Instant Torque lower down then auto. back
Torque Unit	1. N.M 2. KG-M 3. FT-LB
Size of square hole	3/8" (9.70), 1/2" (12.80) interchangeable
Calibration Pole	1 M Length





CY-6754

螺絲起子. 萬能鉗耐電壓全檢試驗機 (12KV VDE 全檢機)

SCREWDRIVER, PLIERS VOLTAGE FULL INSPECTION TESTER

DESCRIPTION

Adopt hydraulic servo control system. Input test condition, computer will auto control test torsion and frequency rate.



SPECIFICATIONS

Designed for testing

Torsion test range

Test frequency

Slider

Test type

Test length

Safety device

Tooling

Spanner wrench, opening wrench, hexagonal head wrench, socket wrench, wheel wrench.

0~200kg-m.

1~60 time/min.

With 2 sets of precise sliders. To insure no shaking during test.

Dynamic fatigue test, static destructive test, duration test.

0~300mm. Adjustable.

With safety protector.

With 3 sets of standard tooling

SPECIFICATIONS

Hydraulic system

(1) Motor : 5HPx6P 220V/380V 60/50HZ.

(2) Filter : 100L/min, 5μ.


(3) Hydraulic pump : 14L/min.

(4) Servo valve : 30L

(5) Oil box : 150L

(6) Cooler : water-cooling type.





CY-6773A1

200噸微電腦動態疲勞壽命試驗機

200 TON MICRO COMPUTER
DYNAMIC FATIGUE TESTER



CY-6773A1



CY-6524A 全自動金相切割機 AUTO CUTTING MACHINE

SPECIFICATIONS

1. Double seat tapping vises, it will clip the object tightly without shaking.
2. Precision spindle durable for high-speed rotation with low noise.
3. Accurate and steady horizontal cutting, highly precise cutting surface $\pm 0.03\text{mm}$.
4. Phase failure and overload protection advice protecting the master motor.
5. There cyclic water providing better cooling effect.
6. Large and clear window convenient for monitoring while cutting.

CY-6525A

全自動金相壓鑄試驗機 AUTO MOUNTING PRESS

SPECIFICATIONS

1. Powerful heating for immediate warm up, it takes only 8~12 minutes for mounting.
2. Electrical(E) : electrical oil pressure pump, enabling smooth operation of oil pressure cylinder.
3. The molding die of mounting (molding shell) for manual and electrical is in mono tube.
4. Electrical type(E) : The power supply will be automatically switched off up to 50 °C preset cooling.



全自動研磨拋光試驗機 CY-6526A AUTO POLISH MACHINE

SPECIFICATIONS

1. FRP machine body, beautiful appearance, corrosion and rust resistance.
2. Grinding disc kept stable when rotating smooth grinding surface.
3. Replaceable PVC grinding disc, easy to replace.
4. Double discs, replaceable, rough and fine grinding and polishing go smoothly and speedily.
5. Double drips preventing the grinding remains from blocking.



掀蓋後

CY-6797

微電腦金屬衝擊試驗機

MICRO COMPUTER CHARPY IMPACT TESTER



CY-6465

鹽水噴霧試驗機

SALT SPRAY TESTER



CY-6522

鋼鐵彎曲試驗機

STEEL BENDING TESTER





CY-6040A10

微電腦螺絲扭力試驗機

MICRO COMPUTER SCREW TORSION TESTER





CY-6523

微電腦鋼野馬力旋轉試驗機

MICRO COMPUTER ROTARY BENDING FATIGUE TESTER